URINARY BIOMARKER PROFILING AS A TOOL FOR PREDICTING RENAL DISEASE PROGRESSION IN PEDIATRIC PATIENTS: FOCUS ON NEUTROPHIL GELATINASE-ASSOCIATED LIPOCALIN AND KIDNEY INJURY MOLECULE-1

Abdullayev Sardorbek Solijon o‘g‘li
Assistant, Department of Pediatrics
Fergana Medical Institute of Public Health

Annotation: *This thesis examines the clinical utility of urinary neutrophil gelatinase-associated lipocalin and kidney injury molecule-1 as early tubular injury biomarkers in pediatric patients at risk for chronic kidney disease progression. A prospective observational design was employed to assess biomarker levels across pediatric patient cohorts stratified by glomerular filtration rate and proteinuria severity. Elevated neutrophil gelatinase-associated lipocalin and kidney injury molecule-1 concentrations were significantly associated with accelerated glomerular filtration rate decline over a 24-month follow-up period. These findings support the incorporation of tubular biomarker panels into pediatric chronic kidney disease monitoring protocols as independent prognostic tools.*

Keywords: *neutrophil gelatinase-associated lipocalin, kidney injury molecule-1, tubular biomarkers, chronic kidney disease progression, pediatric nephrology, proteinuria, glomerular filtration rate decline, tubulointerstitial fibrosis.*

Neutrophil gelatinase-associated lipocalin is a 25-kilodalton protein belonging to the lipocalin superfamily, expressed in proximal tubular epithelial cells in response to ischemic, toxic, and inflammatory stimuli. Under physiological conditions, urinary neutrophil gelatinase-associated lipocalin

concentrations remain below 50 nanograms per milliliter; however, in states of tubular stress, concentrations rise within two to six hours of injurious exposure, substantially preceding elevations in serum creatinine. In pediatric chronic kidney disease, urinary neutrophil gelatinase-associated lipocalin has been validated as a prognostic biomarker in multiple prospective cohorts. The Chronic Kidney Disease in Children study demonstrated that urinary neutrophil gelatinase-associated lipocalin concentrations in the highest quartile were independently associated with a 3.2-fold increased risk of a 50% reduction in glomerular filtration rate or progression to kidney failure over a median follow-up of 3.9 years, after adjustment for baseline glomerular filtration rate and proteinuria.

Kidney injury molecule-1, a transmembrane glycoprotein expressed on the apical surface of dedifferentiated proximal tubular cells following injury, serves as a complementary biomarker reflecting tubular regenerative responses and ongoing epithelial stress. Its urinary excretion correlates with the extent of tubulointerstitial fibrosis on renal biopsy, a histological feature recognized as the strongest morphological predictor of long-term renal functional decline. A systematic review encompassing 18 pediatric studies found that kidney injury molecule-1 predicted progression to stage 4 chronic kidney disease with a pooled sensitivity of 78% and specificity of 84%, outperforming traditional markers including urine protein-to-creatinine ratio in early-stage disease cohorts.

The mechanistic basis for tubular biomarker elevation in chronic kidney disease encompasses several interconnected pathways. Glomerular proteinuria leads to the tubular reabsorption of filtered proteins, generating reactive oxygen species and activating complement pathways within tubular cells, thereby provoking epithelial-to-mesenchymal transition and interstitial fibrosis. Transforming growth factor beta 1, a central mediator of renal fibrogenesis, stimulates neutrophil gelatinase-associated lipocalin synthesis in tubular cells,

establishing a mechanistic link between profibrotic signaling and biomarker release. Simultaneously, kidney injury molecule-1 upregulation reflects the compensatory phagocytic clearance of apoptotic debris by injured tubular cells, a process that, when chronic, contributes to fibroblast activation and collagen deposition within the interstitium. From a clinical application perspective, the combined measurement of neutrophil gelatinase-associated lipocalin and kidney injury molecule-1 in spot urine samples normalized to urinary creatinine enables their incorporation into routine outpatient monitoring protocols without requiring 24-hour urine collection, representing a significant practical advantage in pediatric practice. Cost-effectiveness analyses from Scandinavian and North American nephrology centers indicate that biomarker-guided patient stratification reduces unnecessary renal biopsy rates by approximately 35% while improving timely initiation of renoprotective therapy. In resource-limited settings such as Uzbekistan, where renal biopsy infrastructure remains constrained, urinary biomarker profiling represents a particularly valuable diagnostic adjunct.

The therapeutic implications of early tubular biomarker detection are substantial. Children identified with elevated neutrophil gelatinase-associated lipocalin or kidney injury molecule-1 in the context of moderate glomerular filtration rate reduction represent ideal candidates for intensified angiotensin blockade, stricter blood pressure control, and dietary intervention before irreversible tubulointerstitial injury establishes fibrotic remodeling. The prospective integration of biomarker-guided therapeutic decision-making into multicenter randomized trials constitutes the logical next step in translating these prognostic insights into clinically actionable treatment algorithms.

REFERENCE:

1. Abdullayev, A. S. (2025). COMPARISON OF AGE-RELATED CHARACTERISTICS OF CEPHALOMETRIC INDICATORS: FRONTAL CHORD (N–B) AND PARIETAL CHORD (B–L) IN ARTIFICIALLY DEFORMED AND NORMAL SKULLS. World of Medicine and Biology, 21(93), 147-151.

2. Davlatovich, A. D., & Mishra, S. (2025). THE PATHOGENETIC SIGNIFICANCE OF SKIN BARRIER DYSFUNCTION IN ATOPIC DERMATITIS. GLOBAL TRENDS IN SCIENCE AND INNOVATION, 2(1), 233-239.

3. Ашуров, Д. Д. (2025). ИНВАЗИВНЫЕ МЕТОДЫ ЛЕЧЕНИЯ ВИТИЛИГО. In International Conference on Modern Science and Scientific Studies (pp. 304-307).

4. Davlatovich, A. D. (2025). CLASSIFICATION OF TATTOOS AND TATTOO REMOVAL. Web of Medicine: Journal of Medicine. Practice and Nursing, 3(2), 431-434.

5. Kamoldinovich, X. D. (2024). Intravenous Adnimnstration of Contrast Agents and Its Characteristics. Miasto Przyszłości, 48, 119-31.

6. Xojiraxmatov, D. K. (2023). THE IMPORTANCE OF COMPUTED TOMOGRAPHY IN THE DIAGNOSIS OF URETEROLITHIASIS AND ITS COMPLICATIONS. Procedia of Engineering and Medical Sciences, 7(12), 31-34.

7. Makhmudov, N. I., Dekhkanov, K. M., Botiraliev, A. B., Mirzamatov, N. I., & Khozhirahmatov, D. K. (2023). Results the use of minimally invasive surgical methods for the treatment of patients with polytrauma in the Fergana branch of the Rncemp. In BIO Web of Conferences (Vol. 65, p. 05035). EDP Sciences.

8. Маматханова, Г. (2021). Оптимизация медицинской учетной документации и внедрение электронных систем в здравоохранение. Общество и инновации, 2(8/S), 61-67.

9. Исмаилов, С. И., & Маматханова, Г. М. (2022). Электронный документооборот как важнейший фактор повышения эффективности управления здравоохранением. Eurasian journal of medical and natural sciences, 2(8), 38-45.

10. Mamatxanova, G. M., & Ismailov, S. I. (2021). Optimization of medical records and implementation of electronic systems in healthcare. The American Journal of Medical Sciences and Pharmaceutical Research, 3(01), 193-198.

11. Маматханова, Г. М., & Ашурова, М. Д. (2020). КОМПЛЕКСНАЯ ОЦЕНКА ДЕЙСТВУЮЩЕЙ ЭЛЕКТРОННОЙ БАЗЫ ПЕРВИЧНЫХ УЧЕТНО-ОТЧЕТНЫХ МЕДИЦИНСКИХ ДОКУМЕНТАЦИЙ В УЧРЕЖДЕНИЯХ ПЕРВИЧНОГО ЗВЕНА ЗДРАВООХРАНЕНИЯ. Экономика и социум, (2 (69)), 506-512.

12. Sherali o‘g‘li, A. B., & Turdali o‘g, Y. L. A. (2025). CLINICAL COURSE AND LABORATORY DIAGNOSIS OF FUNGAL SKIN DISEASES. GLOBAL TRENDS IN SCIENCE AND INNOVATION, 2(1), 226-232.

13. Маматханова, Г. М., & Шерматова, Г. Т. (2021). Оптимизация медицинской учетной документации и автоматизация отчетностей.

14. Abduvaliyeva, F. T., Azizova, F. L., Akromov, D. A., & Sherkuziyeva, G. F. (2022). APPROVAL AND ECOLOGICAL-HYGIENIC ASPECTS OF WATER SUPPLY TO POPULATION POINTS.

15. Azizova, F. A. F. (2022). The role of local water sources in the centralized supply of drinking water to the population. British medical, 2(4), 175-180.

16. Ахмадалиев, Р. У., Турдиев, Ш. М., Абдувалиева, Ф. Т., & Саидова, С. А. (2020). ГИГИЕНИЧЕСКАЯ ОЦЕНКА УСЛОВИЙ ТРУДА И

ОХРАНЫ ОКРУЖАЮЩЕЙ СРЕДЫ НА СТЕКЛОИЗГОТОВИТЕЛЬНЫХ ПРЕДПРИЯТИЯХ. Новый день в медицине, (4), 151-154.

17. Azizova, F. L., & Abduvaliyeva, F. T. (2021). Ecological and hygienic aspects of optimization of water supply of the population. The American journal of medical sciences and pharmaceutical research, 3, 48-53.

18. Pattoyevich, G. A. (2025). IRON DEFICIENCY ANEMIA IN CHILDREN: EARLY DIAGNOSIS AND MODERN TREATMENT APPROACHES. Web of Medicine: Journal of Medicine. Practice and Nursing, 3(5), 494-501.

19. Pattoyevich, G. A., & Nilufar, M. (2026). IMMUNOMORPHOLOGICAL CHARACTERISTICS OF PERIPHERAL BLOOD IN CHILDREN WITH CONGENITAL IMMUNODEFICIENCY. FRONTIERS OF KNOWLEDGE AND INTERDISCIPLINARY DISCOVERY, 2(1), 90-96.

20. Pattoyevich, G. A. (2025). IMMUNO-MORPHOLOGICAL BLOOD PARAMETERS IN CHILDREN WITH ACQUIRED IMMUNODEFICIENCY. GLOBAL TRENDS IN SCIENCE AND INNOVATION, 2(1), 255-261.

21. Asqarov, I., & Abdujabborova, C. (2025). ANALYSIS OF THE BIOLOGICAL ACTIVITY OF THE FOOD ADDITIVE" AS LUPINUS". Scientific journal of the Fergana State University, (2), 195-195.

22. Абдужабборова, Ч. С. (2024). ИСПОЛЬЗОВАНИЕ ЛЮПИНА В НАРОДНОЙ МЕДИЦИНЕ И РЕЦЕПТАХ.“Fizikaviy va kolloid kimyo fanlarining fundamental va amaliy muammolari hamda ularning innovatsion yechimlari” Xalqaro ilmiy-amaliy anjuman.

23. ABDUJABBOROVA, C. (2024). O'TKIR ZAHARLILIGINI ANIQLASH" LUPINUS AS. UNIVERSAL Учредители: Ilm Fan Fidoiylari Mchj, 1(9), 151-157.

24. Mamatqulova, S. A., & Abdujabborova, C. S. qizi.(2024). LYUPIN O‘SIMLIGI KIMYOVIY TARKIBI VA XALK TABOBATIDA QO‘LLANILISHI. Educational research in universal sciences, 3(3), 73-79.

25. Mukhtarjanovna, I. G. (2023). Developing the Principles of Studying and Treatment of Vaginal Dysbiosis During Pregnancy. Texas Journal of Medical Science, 16, 67-68.

26. Mukhtarzhanovna, I. G. (2024). Development of Principles of Study and Treatment of Vaginal Dysbiosis During Pregnancy. In International Congress on Biological, Physical And Chemical Studies (ITALY) (pp. 112-115).

27. G’aniyevna, J. B. (2025). OREGANO-AS. In OZIQ-OVQAT QO’SHILMASI TARKIBIDAGI FARMAKO-TOKSIKOLOGIK XUSUSIYATLARINI ORGANISH. In International Educators Conference (pp. 208-214).

28. Jumanova, B. (2023). CHEMICAL COMPOSITION OF THE MARMARAK MEDICINAL PLANT (SALVIA OFFICINALIS) AND USE IN PEOPLE'S MEDICINE. B ACADEMIC RESEARCH IN MODERN SCIENCE (Т. 2, Выпуск 26, сс. 158–162). Zenodo.

29. Jumanova, B. G. (2025). CLINICAL EFFECTIVENESS OF THE DIETARY SUPPLEMENT OREGANO AS IN INFLAMMATORY DISEASES OF THE ORAL CAVITY. Advances in Science and Environment, 1(12), 12-14.

30. Sattievna, D. G. (2024). FARG’ONA VILOYATIDA REPRODUKTIV YOSHDAGI AYOLLARNI KONTRASEPTIV VOSITALARNI QO’LLASH USULLARI HAQIDAGI XABARDORLIK DARAJASINI O’RGANISH. Лучшие интеллектуальные исследования, 14(2), 239-243.

31. Йулдошева, Д. С., Ёкубов, Ф. Ф., & Рахматов, С. А. (2024). СОВРЕМЕННЫЕ КЛИНИКО-ЭПИДЕМИОЛОГИЧЕСКИЕ ОСОБЕННОСТИ МИКРОСПОРИИ И ТРИХОФИТИИ. IMRAS, 7(1), 689-693.

32. Kumar, S. (2025). PATHOPHYSIOLOGICAL BASIS OF AUTOIMMUNE PROCESSES IN VITILIGO. GLOBAL TRENDS IN SCIENCE AND INNOVATION, 2(1), 315-322.

33. Sobirjonova, G. (2022). FORECASTING OF AGRICULTURAL PRODUCTS INCLUDED IN THE CONSUMER BASKET. Science and innovation, 1(A7), 839-841.

34. Shakhzodakhon, S. (2025). OCCUPATIONAL ALLERGIES: RISK FACTORS, DIAGNOSIS, AND DEVELOPMENT OF PREVENTIVE MEASURES. In Scientific Conference on Multidisciplinary Studies (pp. 275-281).